### THE TRUSTED NAME IN METAL ROOFING



# **PRODUCT CATALOG**

11 11

1.888.393.0335 | www.GulfCoastSupply.com

# YOUR SUCCESS IS OUR SUCCESS.

As the Southeast's trusted choice for metal roofing for over 25 years, Gulf Coast Supply & Manufacturing safely provides the best value in metal roofing through product availability, fast and reliable service, and industry expertise. We offer start-to-finish metal roofing solutions.





Our team stands ready to deliver project success.

With over 35+ color options and 9 profiles to choose from, Gulf Coast Supply & Manufacturing offers complete metal roofing solutions. While metal roofing is crucial, it is only part of what Gulf Coast Supply offers. Gulf Coast Supply prides itself on offering start-to-finish solutions for our customers.

Gulf Coast Supply provides services such as the ProofMyRoof<sup>™</sup> visualizer and QuickQuote<sup>™</sup> quoting service to provide quality estimating and sales tools to your team. Expert sales staff and industry-leading turnaround times help ensure that your project is completed correctly and on-time. Gulf Coast Supply's Contractor's Advantage<sup>™</sup> offers a comprehensive education program for executive teams as well as hands-on training for installers. **From first call to project closeout, Gulf Coast offers everything you need.** 

### TABLE OF CONTENTS

#### **General Building Components**


Panels			
Soffit4			
Skypanels5			
Insulation and underlayment5			
Accessories			
Screws6			
Clips			
Fools and Purlins			
Closures			
Boots, Paint, Sealants			

#### Trims


Ridge Caps	.11
Eave Trims	.12
Gable Trims	.13
Wall Flashings	.14
Transitions and Valleys	
Corner Trims	
Panel Capping Trims	.17
Other Trims	
Custom Trim Order Form	19
Order Form	.20

### **GULF COAST PANEL PROFILES**





Replace "XXX" with the applicable paint color code, or with "GLM" for unpainted (steel only). All measurements are nominal and can vary according to the building code. SOFFIT



XXSOJ24 XXXSOJ32



½" ∐


3"

6"

<u>↓</u> 1.5″

XXXSFR24 XXXSFR32

**SFF** Soffit Fascia for Revealed Fascia



**Soffit** Soffit Fascia for Revealed Fascia 10' Length Max



PAISO2415 PAISO3215

# SKYPANELS



- » 12' long x 1 mm or 1.5 mm
- » Additional lengths and thicknesses can be ordered



Matches GulfRib<sup>™</sup> panel STOCKED SSWTR1012 matches white GulfRib<sup>™</sup> SSCTR1012 matches clear GulfRib<sup>™</sup>



Matches GulfPBR<sup>™</sup> panel STOCKED SSWPB1012 matches white GulfPBR<sup>™</sup> SSCPB1012 matches clear GulfPBR<sup>™</sup> SPECIAL ORDER SSWPB1512 1:5mm thick matches white GulfPBR<sup>™</sup>

# **INSULATION AND UNDERLAYMENT**



### TYVEK160

Tyvek Protec 160 Synthetic Nailable

**Underlayment** 10 sq. roll, 40 yr. limited warranties 4' x 250' 36/Pallet



### TITNAIL Grip-Rite® Button Cap Roofing Nails

1" Roof Nails 3000/tub Sold by the bucket



#### APWEAHT<sub>3</sub> APOC Weather Armor HT Peel-and-Stick Underlayment 2 sq. rolls, 39 3/8" x 65' 8", 60 mil 25/pallet



**TITPSU** Modified Rubberized asphalt Peel & Stick underlayment

**Titanium PSU30** 2 sq. roll, 36" X 72' ROLLS 25 ROLLS/PALLET



#### INTAW3X165 Insulation Seam Tape 3" wide x 165' long Silver 16/case



FELT30 #30 Felt ASTM D226 2 sq. roll, 3' x 72'



**DBWF** Double-bubble foil white on one side; reflective on other side poly. 4' x 125' **Reflective Foil Insulation** 500/sq. ft. rolls

### SCREWS

#### **UltiMate**

#### #10-14 Long-Life Ultimate Fasteners

- » Ideal for 5V roof applications
- Washer protects and seals under the head
- 5/16" Head & Type-17 >> Point
- » Lifetime Warranty
- PAIWU 1.5", 2000/case PAIWU1 1", 2500/case 2", 1500/case PAIWU<sub>2</sub> PAIWU2.5 2.5", 1000/case

#### Long Life #1/4-14x7/8" LapStitch Ultimate **Fasteners**

- » Ideal for metal to metal applications 5/16" Hex Head &
- TCP1 Point Type » Lifetime Warranty

PAILAPU 2500/case

#### Ultimate #12-14 Self Driller

- » Replacement fastener in metal to wood application
- 5/16" Hex Head & 26 Degree Sharp Point Zinc cast head for
- long life performance

PAISD1.25A 2000/case PAISD1.5A 1500/case

#### **Ultimate Long Life WoodTite Fastener** #12 - 2"

- Replacement fastener >> in metal to wood application
- » EPDM Tubular Washer & Carbon Steel Shank
- 5/16" Hex Head & 26 **Degree Sharp Point**
- Zinc cast head for long life performance

PAIWXU - 1.5" PAIWXU2 - 2"

2000/case 1500/case

#### **EnduraFast Fasteners** #10-14 HWH DLP 410 SS

- » Ideal for metal to ACQ (Alkaline Copper)
- 410 stainless steel with black e-coating
- 1/4" Hex Head & 26 Degree Sharp Point



PAIWE PAIWE1 1". 2500/case PAIWE<sub>2</sub> 2", 2000/case PAIWE2.5 2.5", 1000/case

#### Pancake Self-Drilling Screws #12 – 1"

For attaching standing seam panels and clips to steel

PCSD 5000/case

#### Pancake Type "A" for wood #12

#12 x 1", 1-1/2", or 2". Available in carbon and stainless steel

PCWGL - 1" PCWGL1.5 - 1.5" PCWGLST - 1" Stainless Steel

Pancake Type "A" for wood #10 10-12 X 1", 1½", 2", or 3". Available in carbon and stainless steel.

<del>«ШШН</del>

PCWCLIP - 1" 5000/case PCWLIP1.5 - 1.5" 2500/case PCWCLIP2 - 2" 2000/case PCWCLIP3 - 3" 2000/case PCWCLIPST - 1" Stainless Steel 5000/case PCWCLIP2ST - 2" Stainless Steel 5000/case

#### #1/4-14 x 7/8" Flat Top Lap Self-**Drilling Fasteners**

- » Ideal for metal to
- metal applications 5/16" Hex Head and
- TCP Self Drilling Point
- » Carbon Steel

PAILAPA 2500/case

### Flat Top #12-14 x1"

Lap Screws (5/16" flattop head). Available In SMP and **PVDF** Colors



PAISD1A

#### WoodTite - 1" #10-16 HWH HLX WoodTite Fastener

2500/case

- » Ideal for multiple layers of metal panels
- Available in all colors
- Bonded washer provides
- positive sealing
- 1/4" Head & Type 17 point Carbon steel with long-life » coating



1.5" 2500/case 2″ 2000/case 2-1/2" 1000/case

3″ 1000/case

#### 1/8" #43 Stainless Steel Rivets

Available in all colors. Use with steel panels and trim. 1/8" Rivet Diameter 100/Bag & 10 bags/case Sold by bag gty

PAISD1.25A - 1.25" PAISD1.5A - 1.5"

2000/case 1500/case

#### 1/8" x 3/16" #43 Buttonhead **Aluminum Rivets**

Available in .032 colors.

- » Use with aluminum panels and trim
- 1/8" Rivet Diameter 100/bag & 10 bags/ >> case

PAIALRIVET100















5000/case 5000/case 5000/case

# SCREWS AND CLIPS



#### #10-16 x 1-1/2 IN 302 SS

» Used where corrosive environments require stainless fasteners.

» .0003 Mechanical Zinc



- plated / .0003 Electro-Cad Plated / .0005 Min Mechanical Zinc Plated for lubrication during installation.
- » Type-B & BP points have fluted threads designed for tapping heavy gauged steel.
- » Ductility for high-stress applications.
- » Made from 100% 304 stainless wire.
- » 304 Stainless Steel are Made in the USA.

PAISS1.5A 2500/case

#### 21/2" & 3" Star Drive **Deck Screws**

» 2½"

- » Per screw or by the case.
- » Lifetime Warranty
- » Screw for both white and pressure treated wood.
- » Sold by the case.

DMIDSPGS-CSE DMIDSPG<sub>3</sub>S-CSE



#### **Scamp Screws**

- » Stainless cap, #12
- » 1-1/2" and 2"
- » Unpainted screws in stock. Type 17 cut point.
- » Lifetime Warranty screw

GLMSC

1.5" - 2500/case GLMSC<sub>2</sub> 2" - 1500/case

#### **#14-10 WOODTITE**

- » 5/16" Hex Head And Type-17 Sharp Point
- » Mechanically Plated With Long Life Coating 1" and 1-1/2" Available

PAIGOOFW1 2500/case PAIGOOFW1.5 2000/case

**Mechanical Seam Floating Clip** For 2" high *MegaLoc*<sup>™</sup> *Panels* 

CSFL205G 110/case CSFL210G 110/case\* \*Special order. For Open Framing

GulfSeam<sup>™</sup> Clip 1-3/4" x 3-1/2" 18GA For fastening GulfSeam<sup>™</sup> panels

GS175G 250/case Galvanized **GS175S** 250/case Stainless \*Sold by case

GulfSnap<sup>™</sup> Clip 1.5 snap seam For fastening GulfSnap<sup>™</sup> panels

GS150G



#14 ID x 1 "OD Galvanized dish With bonded neoprene washer. Used with Sky Panels

WASH1



VL150G - Galvanized VL150S - Stainless \*Sold by case


500/case

500/case









**Mechanical Seam 2-Piece Butterfly** Clip For 2" MegaLoc™



MLBG18 - 18 GA Galvanized Base MLTG18 - 22 GA Galvanized Tab CSSBS18 - Stainless Base CSST200S22 - Stainless Top Sold by Case

150/case 150/case 150/case 150/case

# **TOOLS AND WOOD PURLINS**

#### **Standing Seam Hemming Tool**



#### TSHD

#### **Malco® Turbo Sheer HD**

- » Use with minimum 14.4V 3/8" Drill
- » Up To 18-Gauge (1.22 Mm) Cutting Capacity
- » Limited Lifetime Warranty





**1412YP** 12' lengths **Southern Yellow Pine #2** 1"x4"x12'

**Midwest Tool® Snips and Seaming Tools** Up to 18 GA Cutting Capability



*MWT-Snip Straight* 

MWT-Snip Long



**MWT-Seamer Set** 3" Seamer And 6" Interchangeable Blades Included

MWT-5 Seamer - 5" Straight Aluminum Blades MWT-9 Seamer - 9" Straight Aluminum Blades MWT-15 Seamer - 15" Straight Aluminum Blades

**Seaming Tools** *Provided by DMI Inc.* 




Rent or purchase at http://www.gulfcoastsupply.com/DI

# **CLOSURE SOLUTIONS**



#### **Profile Vent®**

Our best venting solution comes in lengths of 50'.



VENTED CLOSURES

Sold by the strip, 10 per strip, 10 strips per case

Vented closures come in panel widths.

40 Year Limited Warranty

5V Crimp

GulfRib™

GulfPBR<sup>™</sup>

Vented VC5V


Vented VC

VCPBR

### **CLOSURES**

*Closures come in panel widths. Sold by the strip, 10 per strip, 10 strips per case* 

#### **5V Crimp**



#### **Gooseneck Vents**

White Aluminum and Galvalume available in 4", 6", and 10"


#### GNECK4 GNECK6 GNECK10

#### Peel and Seal®

For sealing hips and ridges

- » Aluminum back
- » 33<sup>1</sup>/<sub>2</sub>′ x 6-inch roll
- » 10 year Limited Warranty

**PS6** 6/case Sold by roll



Flex-o-vent<sup>®</sup> Flex-O-Vent is our most economical polyester-based ventilation product.



- Tear Street
- 1-1/2" x 3" x 20' roll, shrink-wrapped.
- » Available in 20' rolls and multiple packaging options
- » Won't absorb moisture, which can freeze and block all ventilation
- » 2 beads of M63 Marco proprietary adhesive for superior hold
- » Easy, one-person installation
- » 40 year limited warranty
- » ASTM testing: D1929, D737

Net Free Area: FOV - 1" free-standing product, NFA 23 sq. in.\*

1- 1/2" x 3" x 10': Rib heights up to 1-1/4" 1- 1/2" x 2" x 10': Rib heights up to 1-1/4" 1" x 3" x 10': Rib heights up to 3/4" 1" x 2" x 10': Rib heights up to 3/4" Air Permeability: >760 cubic feet per minute



#### Flex-o-vent<sup>®</sup> (Continued)

Cold Cracking: -55° C (-130° F) Tear Strength: 3.5 ppi Tensile Strength: 16 psi – Elongation 175% Compressive Strength: 1.8 psi at 75% \*Effective Net Free Area varies based on product.

FOV 1-20' roll per pkg.

#### **Expanding Foam**

Expands to fill up voids. Recommended for sealing panels over valleys.



- » 5V Crimp, GulfWave™: expands from ¼″ up to 1″
- » GulfRib™, GulfPBR™: expands from 3/8 " up to 1½"

**XF120** 10/case - 1" x 1" x 20' **XF5** 10/case - 1" x 1.5" x 15'

# BOOTS, PAINTS, AND SEALANTS

#### **Pipe Boots**

Gray (#3 in 10 colors\*) for temperatures up to 250° 20 Year Limited Warranty

- **#3:** <sup>1</sup>/<sub>2</sub>" 5" PAIPB<sub>3</sub> 15/case >>
- **#5:** 4<sup>1</sup>/<sub>4</sub>"-7<sup>3</sup>/<sub>4</sub>" PB5 10/case >>
- **#6:** 5"-9" **PB6** 10/case >>
- **#7:**6″-11″ **PB7** 10/case »
- **#8:** 7"-13" PB8 5/case >> **#9:** 9"-19"
- PB9 5/case »

\*Available in red, dark gray, light gray, brown, dark green, light blue, dark blue, white, tan, & black

PB3: BAR, CHA, LIG, COB, DAG, HAB, COS, POW, MOT, & BLA

#### **Touch-up Paint**

Approximate match to paint used on panels purchased from GCSM Available in SMP and TRINAR



» 4 oz. brush-top cans » 4 oz. brush-top cans PAITUP4S - SMP PAITUP4T - TRINAR

#### **Titebond®**

Adhesive/Sealant

- UV resistant »
- 1% shrinkage to 0°F application »
- Very flexible >>
- Fill up to 1" gaps »
- Paintable in 1-2 hours »
- Solvent-Free »
- Bonds to wet surfaces »
- Colors matched to panels »

#### PAITB COPSS (Copper Solar Seal) 12/case

#### **Butyl Sealant** Tape Our most

economical aeneral purpose sealing solution 3/32" x 1/2" x 45'



BUTYL-S 32/case - 1/2"

#### **Silicone Pipe Boots**

Gray, hi-temp (up to 450° 20 Year Limited Warranty)

- **#3:** 1/2"-5" PBSIL<sub>3</sub> >> 15/case
- **#5:** 4<sup>1</sup>/<sub>4</sub>"-7<sup>3</sup>/<sub>4</sub>" PBSIL<sub>5</sub> » 10/case #6: 5"-9" PBSIL6 >>
- 10/case **#7:**6"-11" PBSIL<sub>7</sub>
- 10/case #8:7"-13" PBSIL8
- 5/case **#9:** 10"-19" **PBSIL9** 
  - 5/case

### Gray with steel cleats

**Retrofit/Electrical Boots** 

#1: 1/4"-41/2"

EB1 1/8"-4-1/2", 20/case



#### Snap-Z

Available in Aluminum by request



SNAPZ2610011 12" GulfLok™ Steel Panel
SNAPZ3210015 16" GulfLok™ Aluminum Panel
SNAPZ2610015 16" GulfLok™ Steel Panel
SNAPZ3217513 14" GulfSeam™ Aluminum Panel
SNAPZ2617513 14" GulfSeam™ Steel Panel
<b>SNAPZ3217515</b> 16" GulfSeam™ Aluminum Panel
SNAPZ2617515 16" GulfSeam™ Steel Panel
<b>SNAPZ3217517</b> 18" GulfSeam™ Aluminum Panel
SNAPZ2617517 18" GulfSeam™ Steel Panel
SNAPZ3215015 16" VersaLoc™ Aluminum Panel
SNAPZ2615015 16" VersaLoc™ Steel Panel
SNAPZ3215017 18" VersaLoc™ Aluminum Panel
SNAPZ2615017 18" VersaLoc™ Steel Panel
SNAPZ3220015 16" MegaLoc™ Aluminum Panel
SNAPZ2620015 16" MegaLoc™ Steel Panel
SNAPZ3220017 18" MegaLoc™ Aluminum Panel
SNAPZ2205017 18" MegaLoc™ Steel Panel
SNAPZ2610011 12" GulfLok™ Steel Panel
SNAPZ3210015 16" GulfLok™ Aluminum Panel
SNAPZ2610015 16" GulfLok™ Steel Panel
SNAPZ3217513 14" GulfSeam™ Aluminum Panel
SNAPZ2617513 14" GulfSeam™ Steel Panel
SNAPZ3217515 16" GulfSeam™ Aluminum Panel
SNAPZ2617515 16" GulfSeam™ Steel Panel
<b>SNAPZ3217517</b> 18" GulfSeam™ Aluminum Panel
SNAPZ2617517 18" GulfSeam™ Steel Panel
SNAPZ3215015 16" VersaLoc™ Aluminum Panel
SNAPZ2615015 16" VersaLoc™ Steel Panel
SNAPZ3215017 18" VersaLoc™ Aluminum Panel
SNAPZ2615017 18" VersaLoc™ Steel Panel
SNAPZ3220015 16" MegaLoc™ Aluminum Panel
SNAPZ2620015 16" MegaLoc™ Steel Panel
SNAPZ3220017 18" MegaLoc™ Aluminum Panel
SNAPZ2205017 18" MegaLoc™ Steel Panel

Sold in boxes of 10/ea

PAITUPS16S- SMP PAITUPS16K - TRINAR **Backer Rods** 



helps reduce the visible effects of oil canning

BR1/2-CSE BR5/8-CSE

**Spray Paint** 

TRINAR

Approximate match to

paint used on panels

and trim purchased

from GCSM. Not to be

used on panels or trim.

Available in SMP and


### Snap-Z .032 Aluminum

SPECIAL ORDER

Withstands 110 MPH winds Net free area up to 12 sq. in. per linear foot of ridge Air-flow: 730 cu. ft. per min. (per 10' ridge) Sold by box of 10/EA

#### RIDGE CAPS PAI\_\_\_26(K) PAI\_\_\_24 PAI\_\_\_32





Application: GulfRib™

6^/~

specify roof pitch


RC1

Flat Ridge Cap

1 /6


Application:

Exposed fastener




Application: GulfPBR™

**RC2** Standard Ridge Cap




Exposed fastener




Application: Standing seam

3/4



HS7 High Side Ridge Cap custom


Application: GulfLok™



RC18 18" Ridge Cap Custom 935 specify root pitch Application: Exposed fastener


#### **Die-formed Ridge Cap**

24, 26 ga. 3' coverage. All colors available. 1/12 pitch only.



Application: Gulf PBR™

PAIRCDF26 PAIRCDF24



Exposed Fastener




custom






	//	u. 0 r	CIU	//	u. 11	RC2
	>>	a:9 🖬	RC18	>>	a: 12	RC2
A	pplice	ation: E	xpos	ed fasi	tener	
	<b>C18</b> 8″ Ria	lge Cap	)	print A	cust	om
			a:/."-	N-	01.	


#### EAVE TRIMS PAI\_\_\_26(K) PAI\_\_\_24 PAI\_\_\_32





Application: Exposed fastener or shingles




Application: All profiles over battens










Application: All profiles






### ED7






# GABLE TRIMS







Application: GulfRib™



Application: GulfPBR™



Application: MegaLoc™




Application: GulfRib™




PAI\_\_\_26(K) PAI\_\_\_24

PAI\_\_\_\_32





Application: GulfRib<sup>™</sup> over battens




**EF15** a -Gable Rake custom 4" 31⁄2"


Application: VersaLoc<sup>™</sup> & GulfSnap<sup>™</sup>





Application: 5V Crimp





SWEF Southwest FL Rake 3/4" H1/2" CLOSED HEM

Application: 5V Crimp Use with ED3 or ED1

# WALL FLASHINGS




Counterflashing



<sup>3/8</sup>" 1<sup>1/4</sup>" ↓

3/8

#### Add a Kerf Flange or Caulk Edge to any SW or EW



PAI\_\_\_\_26(K)


32

PAI\_\_\_24


PAI

EW1 Stepped End-wall


Application: Exposed fastener



Application: Standing seam




Application: GulfPBR™




Application: All profiles







Application: Exposed fastener




Application: GulfRib™




Application: Standing seam



Application: 5V Crimp




Application: 5V Crimp



Application: All profiles


# **TRANSITIONS & VALLEYS**






Application: Exposed fastener

**PV1** Preformed Valley




custom

Application: All profiles




GF1 Application: Exposed fastener GF7 Application: Standing seam




Application: All profiles

PV2 Preformed custom Hemmed Valley



Application: All profiles



Application: GulfRib™


TF7 Transition Flashing specify roof pitch

Application: Standing seam


### CH1

PAI\_\_\_26(K) PAI\_\_\_24 PAI\_\_\_32


Chimney Flashing




Application: All profiles




Application: Standing seam



# **CORNER TRIMS**



Application: GulfRib™




Is6 Inside Corner


PAI\_\_\_\_26(K)

PAI\_\_\_24 PAI\_\_\_32


#### Application: GulfRib™



PC5 Post Cover




GR5 Rake and Corner 5½" 1¼" 3½" 3½" 3½" 1½" 3½" 1½" 3½" 1½" 3½" 1½" 3½"



# PANEL CAPPING TRIMS


PAI\_\_\_26(K) PAI\_\_\_24 PAI\_\_\_32






# OTHER TRIMS

PAI	_26(K)
PAI	24
PAI	32





- » GulfSeam<sup>™</sup> *a*: *3¾*″ *b*:*1¾*″
- » MegaLoc™ *a*: 4″ *b*: 2″
- » VersaLoc<sup>™</sup> a: 3 1/2" b: 1 1/2" GC15

GC9

GC11



Gulf Coast can manufacture an almost endless array of custom trim shapes to include gutters, coping caps and edge metal. Please provide a detailed drawing of the requested items using the form below. Contact your sales representative for more information or if you would like to verify that a shape can be produced.

Account Name:  Account #:  Sales Order:    Warehouse:  Sales Rep:  Ship Date:  Profile:    Quantity:	CKL# 1114 REV. : 1	Custom Trim Form		Gú	IF COAST	
Quantity: Quantity: Color: Color:						
Color: Color:	Warehouse:	Sales Rep:	Ship Date:		Profile:	
	Quantity: Color:		Quantity: Color:		Profile:	

#### ALL STANDARD AND CUSTOM TRIMS CAN BE FABRICATED IN 20' LENGTHS



Toll Free: (888) 393-0335 Fax: (352) 498-7852 www.gulfcoastsupply.com

#### Name: \_\_\_\_ Address: \_ City, St.: \_ Phone: \_\_\_\_\_ Cell: \_\_\_\_\_ Panel Type (Circle One): GulfWave GulfRib GulfPBR 5V Crimp 12" GulfLok 16" GulfSeam 16" MegaLoc 12" VersaLoc GulfSnap 16" GulfLok 18" GulfSeam 18" MegaLoc 16" VersaLoc

#### Relief Options (if applicable):

Flat	Mini Rib	Striated
------	----------	----------

#### Panel Color:

#### Panel Gauge (Circle One):

0 1	,	
29ga steel	26ga steel	24ga steel
0.032 Aluminum	0.040 Aluminum	

#### **Quantity Code Pitch** Item

	Image: Constraint of the sector of

ltem C	Quantity	Code
Profile Vent		
Outside		
Closures		
Peel & Seal		
Expanding		
Foam		
Butyl Tape		
Underlayment		
Insulation		
Boots #3		
#5		
#6		
#7		
#8		
#9		
Electrical Boot		
Other		
Backer Rod		

#### Job Name: \_\_\_\_\_

#### **Enter Panel Sizes Below**

Quantity	Feet	Inches

#### Stocked Wood-

Screws Tite Ultimate Endurafas			
1″			
1 ½"			
2 ½"			
Pancake			
Tek			
Lap Tek			
Rivets			