

THE TRUSTED NAME IN METAL ROOFING



GulfShield™ HT

Roll: 36' x 67ft | 2 sq. roll

Non-woven fabric offers high tear resistance
All-weather performance (-10°F to 100°F)
All-terrain, under all roofing systems
Available in multiple colors and textures
100% recyclable surface and core materials
Protects, seals and seals to meet green
production, energy and water needs

Duration exceeds 50+ years when used as 1/2" sheathing
Blister-free, superior adhesion
Resisting mold and mildew
Lifetime weather warranty



GulfShield™ HT is a synthetic adhesive based selfadhered underlayment providing excellent strength, grip and water-resistance. It is a true synthetic underlayment facer with multilayers, specifically designed to withstand extreme weather conditions for sloped roofs. It is high-temp resistant - used under tile, slate, shakes, asphalt and synthetic shingle, and metal roofing panels including high-temp applications.

- Non-woven fabric offers high slip resistance
- All temperature performance: (-) 40°C to 126°C; all climates, under all roofing styles
- Weather-tight seal: strong overlap system
- 100% inorganic surface: long-term moisture protection, won't rot and is inert to mold growth
- Durable: resists UV degradation up to 6 months
- Bitumen based: superior adhesion
- Handling: easy-peel dual split-release backer film
- Lifetime-limited warranty

Nominal Technical Data

Property	Test Method	Units	Nominal
Thickness	ASTM D5147	Mil	45
Weight		Lbs.	40
MD/CD Tensile Strength	ASTM D1970	Lbs./Inch	130/110
Permeability	ASTM E96	Perms	0.03
Thermal Stability	ASTM D1970	°F	260
Fire Rating	ASTM E108		Class A
Low Temp Flexibility	ASTM D1970		Pass
Adhesion to Plywood at 75°F	ASTM D1970	Lbs./Ft.	Pass
Nail Sealability	ASTM D1970		Pass
Lap Seam - Waterproof	ASTM D1970		Pass
Low Temp Flexibility	ICC AC48		Pass
Temperature Range			40° F to 260° F
UV Resistance			180 Days

Standards: Meets Or Exceeds

- ASTM D1970
- CAN/CSA A220.1
- AC-48 acceptance criteria for self-adhered underlayments used as ice and water barriers
- Miami-Dade & Florida Building Code Approved

Availability:

Roll: 36"x 67ft | 2 sq. roll



5" x 5"
Material Sample

THE TRUSTED NAME IN METAL ROOFING SINCE 1996



METAL ROOFING PRODUCTS

ZERO HARM

Unmatched in Safety. Unmatched in Quality.



As the Southeast's trusted name in metal roofing for over two decades, Gulf Coast Supply & Manufacturing has set out to safely provide the best value in metal roofing fabrication. Throughout our five locations, we help our customers succeed through product availability, fast and

reliable service, and industry expertise. With over 35 color options and 9 profiles to choose from, Gulf Coast Supply has you covered. Talk to a Gulf Coast Supply representative today and let us know how we can help you on your next project!



www.gulfcoastsupply.com

888-393-0335